


**Inspectable cassette**

**PATENT**


- > inspectionable cassette equipped with external upper seal to ensure adherence to the mounting surface and compartment for curtain tracks additional



**End foot**

**PATENT**

- > telescopic foot and telescopic end bar profile to compensate uneven floor




**Locking Kit**

> **PATENT +**


- automatic spring lock/unlock system

- > end bar free drop




**Welding**

- > invisible welding on cristal clear fabric



**Motor**

- > IO technology motor with obstruction detection on descents function;
- > adjustable automatic hooking position for automatic lock/unlock system;
- > adjustable fabric tensioning for automatic lock/unlock system



**Side guides**

- > inspectable sliding and tensioning guides, equipped with integrated zip system

**+** = optional

**Wind resistance:**  
**UNI EN 13561:**  
**class 3**  
 (corresponding to grade 6 of the Beaufort scale)

**Cassette 115**


L	max total width	500 cm
H	max total height	250 cm

**Cassette 130**

L	max total width	500 cm
H	max total height	300 cm


**CASSETTE 115 - TYPE A**

L (max 400 cm)




**CASSETTE 115 - TYPE B**

L (max 500 cm)




**CASSETTE 115 - TYPE C**

L (max 500 cm)




**CASSETTE 130 - TYPE A**

L (max 400 cm)




**CASSETTE 130 - TYPE B**

L (max 500 cm)




**CASSETTE 130 - TYPE C**


L (max 500 cm)




Technical details cassette 115




Technical details cassette 130




Fixing options



Aluminium ceiling supports



Stainless steel side supports



Adjustable floor supports

## Control function



### SITUO 1 IO PURE II

Single-channel remote control with individual or group control function.  
Supplied with wall support.



### SITUO 5 IO PURE II

5 channels remote control with local control or group control function.  
Supplied with wall support.



### NINA

Multi-channel touch screen remote control and home automation for different devices management.  
Integrable with remote controls Situo 1 IO and / or Situo 5 IO



### RAIN SENSOR KIT

Kit equipped with rain sensor for rainfall detection, combined with wireless transmitter Izymo.



### EOLIS WIREFREE IO wind sensor

Battery-powered Wirefree IO sensor.  
Freedom of installation in the facade.




### SMART HOME TRANSMITTER SYSTEMS


Transmitter Izimo IO Homecontrol.



**STANDARD COATINGS**



**RAL 9010**  
fine texture



**RAL 1013**  
fine texture



**F213 Iron grey**  
fine texture



**F206 Brown**  
fine texture

**The powder coating of our profiles is basically divided into three cycles:**

- > chemical pre-treatment applied on the raw profile to obtain perfect and long-lasting finishes;
- > application of polyester powder using automatic electrostatic guns;
- > curing conditions at 200° to obtain an extra strong final coating, increasing the mechanical characteristics of the profile itself.

**optional**



**RAL 7035**  
fine texture




**RAL 9006**  
metallic matt




**RAL 7016**  
fine texture




**RAL 7001**  
fine texture




**RAL 7037**  
fine texture




**RAL 7034**  
fine texture




**RAL 6003**  
fine texture




**RAL 6005**  
fine texture



**RAL 7039**  
fine texture




**RAL 8014**  
fine texture



**RAL 8019**  
fine texture




**RAL 7006**  
fine texture



**F235 Corten**  
fine texture

**COLORS NYLON PARTS //**



White























Ivory


















Iron Grey



Grey

Collection	Article	Gtot ext	
<b>CRISTAL 650</b> Type A dim. max 400x300	 CRISTAL 650 Clear	0,55	
	 CRISTAL 650 Ice	0,45	
	 CRISTAL 650 Coffee	0,51	
<b>PRECONTRAIT 302</b> Type B dim. max 400x300	 239 Matt white	0,09	
	 241 Matt ivory	0,10	
	 331 Matt grey	0,07	
	 378 Matt anthracite	0,08	
	 165 Matt grey taupe	0,07	
	<b>SOLTIS 86</b> Type C dim. max 500x300	 86-2044 White	0,20
 86-2175 Champagne		0,21	
 86-2135 Sad		0,16	
 86-2043 Bronze		0,12	
 86-2171 Stone grey		0,15	
 86-2047 Anthracite		0,14	
<b>SOLTIS 92</b> Type C dim. max 500x300		 92-2044 White	0,14
		 92-2175 Champagne	0,13
	 92-2135 Sad	0,08	
	 92-2043 Bronze	0,06	
	 92-2171 Stone grey	0,08	
	 92-2047 Anthracite	0,08	

Collezione	Articolo	Gtot ext
<b>SUNWORKER OPEN</b> Type C dim. max 500x300	 SWN M005 White	0,22
	 SWN M006 Pearl	0,22
	 SWN M392 Charcoal	0,19
	 SWN M652 Silver	0,17
	 SWN M654 Grey	0,19
	 SWN M719 Taupe	0,17
	 SWN M939 Elephant	0,16
<b>FABRINET</b> Type C dim. max 500x300	 FABRINET 7218 Grey	0,34
	 FABRINET 7218 Black	0,34
<b>SCREEN NET</b> Type C dim. max 500x300	 SCREEN NET 0101 White	0,21
	 SCREEN NET 0102 White/Vanilla	0,19
	 SCREEN NET 0105 White/Pearl grey	0,14
	 SCREEN NET 0151 White/Grey	0,13
	 SCREEN NET 0505 Pearl grey	0,13
	 SCREEN NET 5951 Grigio/Antracitre	0,11